

Why Duralactin® may be recommended for your cat.

Your cat may have difficulties with normal activities.

How Difficult Is It For Your Cat To...

	No Problem	A Little	Quite A Bit	Severe	Impossible
Run					
Play					
Groom					
Socialize					
Get to the litter box					
Jump up on counter or furniture					
Jump down from counter or furniture					

What other activities are difficult for your cat?



Also Available:

dogs



horses



Duralactin® Canine



Duralactin® Equine and Duralactin® Equine Joint Plus



feline



VETERINARY PRODUCTS LABORATORIES
 Innovative Products in Veterinary Medicine™
 P. O. Box 34820, Phoenix, AZ 85067-4820
 888.241.9545 fax 800.215.5875

vpl.com

Submit your testimonial on duralactin.com

©2006, 2008 Veterinary Products Laboratories 300501467 08-0568
 MicroLactin is a registered trademark of Stolle Milk Biologics, Inc. (SMBI)
 U. S. Patent Numbers 5,242,691, 5,352,462, 5,650,175, 5,980,953

DURALACTIN®

For the Long Term Management of Chronic Inflammation

Helps Support Normal Activity and Wellness



feline





How does Duralactin® work?

The active ingredient in Duralactin® is MicroLactin®. MicroLactin® contains factors that appear to inhibit neutrophils, a type of white blood cell. MicroLactin® works by reducing the movement of neutrophils out of the tiny blood vessels so they do not continue to release their destructive enzymes where they are not needed. This supports normal activity and wellness. MicroLactin® appears to function with no evidence of gastrointestinal irritation.

How long does Duralactin® take to work?

Most reports indicate that cats will begin to respond in 4 to 7 days with peak effects occurring between 10 to 14 days.

Will my cat have to stay on Duralactin® for the rest of his or her life?

Depending on your cat, some conditions never resolve and must be treated continuously. Other conditions are often transient and may only require short durations of therapy. This is a question that your veterinarian will answer for your cat.



What are the side effects?

The active ingredient, MicroLactin®, has low levels of carbohydrates including lactose. It should not be a problem for the majority of cats taking the product. However, cats with exceptional sensitivity to lactose may have gastrointestinal intolerance, such as vomiting and diarrhea. If your cat experiences a possible adverse event associated with the product, please contact your veterinarian or call Veterinary Products Laboratories at 888-241-9545.



What forms of Duralactin® are available for cats?

Duralactin® Feline Capsules

Non-flavored granules
Open capsule and mix with food

Weight of Cat	Dosage
Less than 12 lbs	1 capsule twice a day
Greater than 12 lbs	2 capsules in the morning & 1 capsule in the evening

Duralactin® Feline Liquid

Duralactin® Feline Liquid also contains Omega 6 and Omega 3 fatty acids that are important for:

- Healthy skin and coat maintenance
- Immune system support
- Proper joint function
- Gastrointestinal health

Weight of Cat	Dosage
12 lbs and under	1 teaspoon twice a day
Over 12 lbs	2 teaspoons in the morning & 1 teaspoon in the evening or 1.5 teaspoons twice a day

Each teaspoon is 5 ml. One bottle will dose a cat weighing 12 lbs or less for 24 days. Give orally or mix with food.

Duralactin® Feline L-lysine

Duralactin® Feline L-lysine helps maintain respiratory and ocular health, especially in cats that are physically stressed.

Weight of Cat	Dosage
Cats	2.5 ml (one notch or line on syringe) twice a day
Kittens	1.25 ml (one half notch) as needed

Give orally or mix with food. One syringe will treat one cat twice a day for a week. Two or three syringes are usually needed for treatment.